

GABRIELYAN, R.B.

Pre-Larvinian evolutionist, Russian advanced naturalist Karl
Rul'e and Mikhael Nalbandian. Iz ist. est. i tekh. l:99-125 '60.
(MIRA 16:12)

eA GABRIELYAN, T. [M]

12

3

Milk composition in hoof and mouth disease. I.
Galendyan. Molekulyar. Prom. 10, No. 12, 37(1907)
Fat and casein content rise (by about 0.5%), total solids
rise, and the viscosity rises by 25-30%. Surface tension is
lower than normal (40-50 dynes/cm.). Aridity is some-
what lower and curdling is retarded. The curd is soft
and contains much fat. G. M. Kosolapoff

GABRIELYAN,
USSR.

Physical and chemical properties of milk and the technology of Swiss-cheese manufacture at the Kraanussel factory, Z. Dilanyan and T. Gabrdlyan, *Molochnaya Prom.*, 13 No. 4, 37-9(1952); *Dairy Sci. Abstr.*, 15, 225-9(1953).—All milk received during a 2-month period at a cheese factory was tested for sp. gr., acidity, casein, and butterfat and the results are tabulated. A time study of the manuf. of Swiss-type cheese at the same factory showed that, as the butterfat content of cheese milk was raised from 3.3-3.4 to 4.1-4.2%, the time taken for renneting, curd treatment in the vat, and whey drainage increased from 2 hrs. 15 min. to 3 hrs. 7 min. and that for pressing from 24 to 31 min. This is stated to be due to the adverse effect of butterfat on the contraction of curd.

R. D. H.

GABRIELYAN, T. M.).

I-30

USSR / Chemical Technology. Chemical Products and Their Application. Food Industry.

Abs Jour : Ref Zhur - Khimiya, No 3, 1957, No 10348

Author : Dilanyan, Z.Kh., Gabrielyan, T.M., Nikogosyan, Kh.I., and Agababyan, A.A.

Inst Title : Academy of Sciences Armenian SSR
: A Formula for the Determination of the Total Solids Content of the Milk from Armenian Cows.

Orig Pub : Izv. AN ArmSSR Biol. i s.-kh. n., 1955, Vol 8, No 3,
55-60

Abstract : A formula is proposed for the determination of the total solids content of the milk from Armenian cows: $S = 1.22 F - 2.78 \sqrt{(100d - 100)/d}$, where S is the percent of total solids, F is the fat content in gms/100 ml, d is the density of the milk at $20/4^{\circ}$. The coefficients 1.22 and 2.78 are calculated from the average density of milk fat (0.9266 at $20/4^{\circ}$) and of the dry residue of skimmed milk (1.5616)

Card : 1/2

MATEVOSIAN, I.A.; GARNET'YI, Ye.S.; GAVOV, ...; GOLOVIN, I.Ya.

Comparative dehydrogenating capacity of some diaryliercylhydrazyl
radicals. Dokl. Akad. Nauk SSSR 137 no. 1:99-101 (r-Ab) '61.

(UHA 14:2)

1. Ural'skiy politekhnicheskiy institut im. S.M. Kirova.
Predstavleno akademikom N... Shemyakinym.
(Dehydrogenation) (Radicals (Chemistry))

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GOSTOVAL' YANTS, A.A.

SHCHEPETIL'NIKOV, V.A., kandidat tekhnicheskikh nauk; GABRIEL' YANTS, A.A.,
kandidat tekhnicheskikh nauk.

Spark indicator of unbalance. Trudy MIIT no.82/83:331-340 '55.
(Balancing of machinery) (MLRA 9:8)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

SCHUPETIL'NIKOV, V.A., prof. doktor tekhn. nauk; G.BEL'DYANTO, A.A.,
dotsent, kand. tekhn. nauk

Two-electrode spark recorder of imbalance. Trudy MIIT no.195:
34-44 '64. (NTIA 18:9)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

GABRIEL'YANTS, A. F.

GABRIEL'YANTS, A. F.

"Efficient Methods for the Dynamic Balancing of Steam-Engine Motors
in Railroad Depots." Cand Tech Sci, Moscow Inst of Railroad Transport
Engineers, Moscow, 1954. (RZhMekh, Feb 55)

SO: Sum. No. 631, 26 ug 55 - Survey of Scientific and Technical
Dissertations Defended at USSR Higher Educational Institutions
(1L.)

1327

PERIODICAL: Gabril'yants, A.G., and Feodos'yev, V.I. (Moscow)
On the axisymmetric equilibrium of evenly-distributed pressure
shells under the action of external spherical pressure
re: Prikladnaya matematika i mehanika, v. 25, no. 6,
1961, 1091 - 1101

S/040 21345
D299/D304 61/025/006/01

TEXT: The problem under consideration is one of those elasticity-
problems, for which the idealization of actual systems leads to
considerable error. It is assumed that the actual shell differs
slightly from the ideal shell, namely in the shape of the middle
plane, denoted by w . The character of the curve $p = p(w)$ is determined by f . The shell
undergoes, as a result of the external pressure p , the local buck-
ling. The solution of the problem involves determining the possible
so-called minimum buckling load p_{\min} which delimits the possible

FOR RELEASE: 03/13/2001 CIA

Fig. 114.
Card 1/5

On the axisymmetric equilibrium ...

21345
S/040/61/025/006/012/021
D299/D304

effect of snapping. Thereby, the loss of stability is assumed as probable in the interval $p_{\min}^0 < p^0 < p_*^0$. Thus, it is necessary to determine the equilibrium form of spherical shells in the region of large displacements. The authors review earlier attempts to solve the problem and conclude that variational methods could no longer yield useful results. Below, the numerical solution (obtained by means of computers) is given of the nonlinear equations of a half-sphere. The solution is independent of the parameter R/h (radius to thickness); it is exact within the limits of applicability of the equations for sloping shells. The equations for sloping shells are, assuming an axisymmetric form of equilibrium, (and after transformation and linearization):

$$x \frac{d\Psi}{dx} + \frac{d\Psi}{dx} - \frac{\Psi}{x} = \Theta x \quad (2.8)$$

$$x \frac{d\Theta}{dx} + \frac{d\Theta}{dx} - \frac{\Theta}{x} = -\Psi x - p_0 x \Theta \quad (2.9)$$

where x represents the dimensionless radius, Θ - the angle of rotation of the meridian arc, and Ψ is a measure of the difference between the radial stress T_1 and its value $1/2 pR$, corresponding to Card 2/5

21345

S/040/61/025/006/012/021

D299/D304

On the axisymmetric equilibrium ...

the membrane state. The linearization applies to the interval $x > x_k$ The solution in the linear interval, is obtained in terms of Hankel functions of a complex argument. These functions are not tabulated and a method for computating them is proposed which involves asymptotic expansion. Further, the non-linear interval $0 \leq x < x_k$

is considered. Introducing the notations

$$\frac{d\theta}{dx} = u, \quad \frac{d\Psi}{dx} = v, \quad (4.1)$$

the original system of equations is rewritten in finite differences:

$$\begin{aligned}\Delta v &= \left[\theta + \frac{\theta^2}{2x} - \frac{v}{x} + \frac{\Psi}{x^2} \right] \Delta x \\ \Delta u &= \left[-\Psi - \frac{\Psi\theta}{x} - p_0\theta - \frac{u}{x} + \frac{\theta}{x^2} \right] \Delta x \\ \Delta\theta &= u\Delta x, \quad \Delta\Psi = v\Delta x\end{aligned}\quad (4.2)$$

From the conditions of continuity one obtains

Card 3/5

On the axisymmetric equilibrium ...

21345
S/040/61/025/006/012/021
D299/D304

$$K_1 \theta_k + K_2 \psi_k - u_k = 0, \quad -K_2 \theta_k + K_3 \psi_k - v_k = 0 \quad (4.5)$$

where K_1 , K_2 , K_3 are given by expressions. The order of the computations was as follows: p_0 was assumed ≤ 2 , $x_k = 10$; thereupon K_1 , K_2 , K_3 were calculated and equations (4.2) were numerically integrated; the values of u_k , v_k , θ_k and ψ_k , obtained by integration, were substituted in Eq. (4.5). The integration was carried out by means of a digital computer. The obtained results are summarized in a figure. The minimum buckling load was found to be $p_0^{\min} = 0.06$, where-

by the relative buckling $w/h = 22-23$. There are 9 figures and 8 references: 4 Soviet-bloc and 4 non-Soviet-bloc. The references to the English-language publications read as follows: T. von Karman, and H.S. Tsien, The Buckling of Spherical Shells by External Pressure, Journal of the Aeronautical Sciences, 1939, Dec. v. 7, no. 2, 43-50; K.O. Friedrichs, On the Minimum Buckling Load for Spherical Shells, von Karman Anniversary Volume, pp. 258-272. California Institute of Technology, Pasadena, 1941; H.B. Keller and E.L. Reiss,

Card 4/5

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRIELYANTS, G.A.

First gasser in the central Kara Kum. Geol.nefti i gaza)
no.8:55 Ag '59. (MIRA 12:11)
(Kara Kum--Gas, Natural)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

GABRIELYANTS, G.A.; DIKENSHTEYN, G.Kh.; SEMELEVICH, V.V.

Central Kara Kum as a new large oil- and gas-bearing region
of Central Asia. Sov. geol. 3 no. 9:3-16 S '60.

(MIRA 13:11)

1. Upravleniye geologii i okhrany nedor pri Sovete Ministrov
Turkmenskoy SSR i Vsesoyuznyy nauchno-issledovatel'skiy geologo-
razvedochnyy neftyanoy institut.

(Kara Kum--Petroleum geology)

(Kara Kum--Gas, Natural--Geology)

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRIELYANIS, G.A.; BLISKAVKA, A.G.

Tectonic dislocations in central Kara Kum. Trudy VNIGNI no.30:
200-204 '61.
(Kara Kum--Faults (Geology)) (MIRA 14:9)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

VERESKUN, V.A.; GABRIELYANTS, G.A.; KRIVOSHEYEV, V.T.; GENDLER, S.L.

Composition of Cretaceous and Paleogene sediments in the central
Kara Kum. Trudy VNIGNI no.35:203-209 '61. (MIRA 16:7)
(Kara Kum--Geology, Stratigraphic)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRIELYANTS, G.A.

Boundary of the Danian and Maestrichtian stages in the central
part of the Kara Kum. Trudy VNIGNI no.35:224-226 '61. (MIRA 16:7)
(Kara Kum--Geology, Stratigraphic)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

BLISKAVKA, A.G.; GABRIELYANTS, G.A.; TKACHUK, M.A.

New stratigraphic scale of Paleogene sediments in the central
Kara Kum in connection with prospecting for oil and gas struc-
tures. Izv. vys. ucheb. zav.; neft' i gaz 5 no.7:15-18 '62.
(MIRA 16:7)

1. Moskovskiy institut neftekhimicheskoy i gazovey promysh-
lennosti imeni akademika Gubkina.
(Kara Kum—Geology, Stratigraphic)

AMURSKIY, G.I.; GABRIELYANTS, G.A.; DIKENSHTEYN, G.Kh.; ISHUTIN, V.V.;
SPIKIN, V.A.

Marginal flexural-fault zone of the central Kara Kum arched
uplift. Biul.MOIP.Otd.geol. 37 no.5:132-134 S-0 '62.
(MIRA 15:12)
(Kara-Kum—Faults (Geology))

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

ГАВРИЛЕНКО, Г.А.; СИЧИНА, Г.И.

ОЦЕНКА ПОТЕНЦИАЛА ТЕХНОЛОГИЧЕСКОЙ ОБЛАСТИ
ПОДДЕРЖКИ И СПЕЦИАЛИЗИРОВАННОЙ ОБОРУДОВАНИЯ
ДЛЯ ПРОДУКЦИИ АЭРОДИНАМИЧЕСКИХ ПЛАТФОРМ

1. Управление рефлектирующей поверхности платформы

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

ALIYEV, I.M.; ARZHEVSKIY, G.A.; BORISOV, A.A.; GABRIELYANTS, G.A.; DENISEVICH, V.V.; DIKENSSTEYN, G.Kh., doktor geol.-miner. nauk; ZHUKOVSKIY, L.G.; IL'IN, V.D.; KAYESH, Yu.V.; KRAVCHENKO, N.Ye.; REZVOY, D.P.; SEMENOVICH, V.V.; TAL'-VIRSKIY, B.B.; SHEBUYEVA, I.N.; IONEL', A.G., ved.red.; VORONOVA, V.V., tekhn. red.

[Tectonics, and oil and gas potentials of the western regions of Central Asia] Tektonika i neftegazonost' zapadnykh raionov Srednei Azii. Pod red. G.Kh.Dikenshtaina. Moskva, Gostoptekhizdat, 1963. 309 p. (MIRA 16:7)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy geologorazvedochnyy neftyanyy institut.

(Soviet Central Asia--Petroleum geology)

(Soviet Central Asia--Gas, Natural--Geology)

BLISKAVKA, A.G.; GABRIELYANTS, G.A.

Time and causes of the formation of dislocations with a break in continuity in the central part of the Kara Kum. Izv. AN Turk. SSR.Ser. fiz.-tekhn., khim. i geol. nauk no.4:77-83 '63. (MIRA 17:2)

1. Upravleniye geologii i okhrany nedr pri Sovete Ministrov Turkmenskoy SSR.

GABRIYEVAS, G.A.

Lower Cretaceous sediments in the central part of the Kara Kum.
Inv. AN Turk. SSR. Ser. fiz.-tekhn., khim. i geol. nauchn. issled.
98 '64.

Phenomena of subaqueous slumping in the Middle Eocene sediments
in the central part of the Kara Kum. Ibid.:120-121

(MMA 17:12)

I. Upravleniye geologii i okhrany nedr pri Sovete ministrov Turk-

merskoy SSR.

ROZYREVA, T., kand. geol.-miner. nauk, glav. red.; SMIRNOV, L.N.
kand. geol.-miner. nauk, zam. glav. red.; MASHRYKOV, K.,
akademik, red.; KALUGIN, P.I., akademik, red.; SEMENOVICH,
V.V., kand. geol.-miner. nauk, red.; GABRIELYANTS, G.A.,
geol.-miner. nauk, red.; SHCHETININA, Yu.M., red.

[Problems of the geology of Turkmenia; materials for the
22nd International Geological Congress] Voprosy geologii
Turkmenii; materialy k XXII Mezhdunarodnomu geologiches-
komu kongressu. Ashkhabad, Turkmenskoe izd-vo, 1965. 242 p.

(MIRA 18:6)

1. Akademiya nauk Turkmenskoy SSR, Ashkhabad. Institut
geologii. 2. AN Turkmenskoy SSR (for Mashrykov, Kalugin).

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRIELYANTS, G. A.; DENISEVICH, V. V.; DIKENSHTEYN, G. Kh.; ZHUKOVSKIY, L. G.;
ZUBOV, I. P.; IMASHEV, N. U.; MASHRYKOV, K. K.; SEMENOVICH, V. V.

"Oil- and gas deposits in mesozoic rocks of the Epi-Hercynian Platform
in Middle Asia."

report submitted for 22nd Sess, Intl Geological Cong, New Delhi, 14-22 Dec
1964.

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

AMURSKII, G.I.; VASIL'YEV, V.G.; VOL'VOVSKIY, I.S.; GARETSKIY, R.G.;
GABRIELYANTS, G.A.

Basic tectonic elements in the western part of Central Asia.
Neftegaz. geol. i geofiz. no.4:7-10 '65. (MIRA 18:7)

1. Upravleniye geologii i okhrany nedr pri Sovete Ministrov
Turkmenskoy SSR; Vsesoyuznyy nauchno-issledovatel'skiy institut
prirodnogo gaza; IG AN SSSR i Nauchno-issledovatel'skaya
Sredne-Aziatskaya geofizicheskaya ekspeditsiya, kontora
Spetsgeofizika.

GABRIELYANTS, G.A.

Aspects of economic geology in the regionalization of
the Turkmen S.S.R. in connection with the efficient
planning of prospecting operations. Razved. i okh.nedr
31 no.4:12 Ap '65.
(MIRA 19:1)

1. Gosudarstvennyy geologicheskiy komitet Turkmenskoy SSR.

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRIEL'YANTS, M., kand.tekhn.nauk, dotsent

Liquids used for smoking. Sov. torg. 34 no.8:54-56 Ag '61.
(Fish, Smoked) (Meat, Smoked) (MIRA 14:8)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

GABRIEL'YANTS, M., knad.tekhn.nauk

Quality of semismoked sausages prepared with the use of smoking liquid.
Sov. torg. 36 no. 329-31 Mr '63. (MIRA 16:3)
(Sausages)

GABRIEL'YANTS, Mikhail Agarovich; PETROV, Vladimir Andreyevich; SINEL'NIKOVA,
P.B., red.; SUDAK, D.M., tekhn. red.

[Meat products; a handbook] Miasnye tovary; spravochnoe posobie.
Moskva, Gos. izd-vo torg. lit-ry, 1958. 273 p. (MIRA 11:7)
(Meat)

INIKHOV, G.S., prof.; GABRIEL'YANTS, M.A., dots.; MAKAREYEV, M.A.;
SUKHANOVA, Ye.Yu., kand. tekhn. nauk; GRANOVSKAYA, I.E., red.;
EL'KINA, E.M., tekhn. red.

[Guide to food products; milk, fat, eggs, meat, and fish goods]
Tovarovedenie prodovol'stvennykh tovarov; tovary molochnye zhi-
rovye, iaichnye miashnye, rybnye. Izd.2., perer. Moskva, Gos-
torgizdat, 1961. 383 p.
(Food industry) (MIRA 15:1)

GABRILOVICH, M.A.

State and future prospects for the growth of sanitary bacteriological laboratories in the White Russian S.S.R. Zdrav.Bel. 8
no.11:52-54 N '62. (MIRA 16:5)
(WHITE RUSSIA—BACTERIOLOGICAL LABORATORIES)

GABRIJELCIC, Zora

Chemical Abstracts
May 25, 1954
Dyes and Textile Chemistry

The synthesis of organic dyes. Igor Belik, Zora Gabrielic, Metod Porecnik, Vladimir Premru, Ivan Smoljan, Mihaljo Zlatec, Canko Zupan, and Vlado Zupan (Inst. Ind. Research, Ljubljana). *Rem. Zbornik* 1951, 128-30.

The synthesis of many dyes used in the textile and other industries is discussed. Brief descriptions of the synthesis are given for the following dyes: (1) sulfate black; benzene is chlorinated to produce monochlorobenzene which is then nitrated to produce 1-chloro-2,4-dinitrobenzene. This is converted to 2,4-dinitrophenol by heating with NaOH. The 2,4-dinitrophenol is heated with a soln. of polysulfide and the product, upon oxidation in air, gives the sulfate black dye. This method has been used on a semi-industrial scale to produce 10-ton units. of the dye. (2) Sulfate blue; chlorobenzene is nitrated to give a mixt. of *o*- and *p*-nitrochlorobenzene. The latter is treated with NaOH soln. in an autoclave at 6-7 atm. pressure to give nitrophenol. This is reduced in the presence of Fe in a salt (NaCl) soln. to give *p*-aminophenol which is condensed with 1-chloro-2,4-dinitrobenzene to give 2,4-dinitro-4'-hydroxydiphenylamine. Heating this product with a soln. of Na₂S in various concns. and under different conditions followed by oxidation gives 2 blue dyes of different identity. (3) Sulfate brown; naphthalene is nitrated to give mononitronaphthalene which is further nitrated to produce a mixt. of 1,5- and 1,8-dinitronaphthalene which is then heated in a rotating Fe drum with Na₂S and S to produce the dye. (4) Hydron Olive dye; anthracene is heated in a rotating drum with S. The product is extd. with Na₂S to produce the dye. (5) Chrome blue and chrome black for wool; a soln. of 2-naphthol is treated with a soln. of

2/2 Igor Bebic, etc.

(9)
NaNO₂ in H₂SO₄ to produce 1-nitroso-2-naphthol, which
upon the addn. of NaHSO₃ and H₂SO₄ gives 1-amino-2-
naphthol-4-sulfonic acid. This is then subjected to the
diazotization reaction to form 1-diazo-2-naphthol-4-sulfonic acid.
The Na salt of this acid is treated with a soln. of the Na
salt of 2-naphthol. This produces a dark blue dye. (8)
— PhNO₂ and treating the reaction product with NaOH. The
syntheses of azo dyes and of indanthrene dyes are also dis-
cussed.

J. Rovtar Leach

GABRILENKO, B.S.

USSR/. General Problems of Pathology. Tumors

U-4

Abs Jour : Ref Zhur - Biol., No 5, 1958, 23145

Author : Gabrilenko, B.S., Trubnikov, V.F.
Inst :

Title : Sarcoma of the Knee Joint.

Orig Pub : Tr. Khar'kovsk. nauch. med. o-vo, 1957, vyp, 6, 105-
108

Abstract : No abstract.

Card 1/1

BEZUGLOV, I.Ye.; KURDYUMOV, V.N., inzh.; V rabote prinimali uchastiye:
GABRILENKO, I.V.; GRABOVSKIY, I.I.; NESHCHADIM, A.G.; BELOBORODOV,
V.V.; VISHNEPOL'SKAYA, F.A.; MATSUK, Yu.P.; GAYTSKHOKI, N.I.;
USACHEV, A.S.; ABKINA, N.N.; RUMYANTSEVA, A.G.; KOSHELEV, A.P.;
GRIGOR'YEV, F.L.; LUKASHEVICH, A.M.; STYAZHKINA, A.G.; MIKHAYLOVICH,
A.N.; YEDEMSKIY, P.M.; MASLOV, P.V.; KUDRYASHEVA, Z.P.; PROSMUSHKIN,
R.M.; SHTAL'BERG, V.A.; BOYTSEV, N.I.

Operational experience with a newly introduced oil-extraction line
equipped with the DS-70 belt-conveyer extractor. Masl.-zhir.prom.
26 no.3:29-31 Mr '60. (MIRA 13:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zhirov (for
Bezuglov, Gabrilenko, Grabovskiy, Neshchadim, Beloborodov,
Vishnepol'skaya, Matsuk and Gaytskhoki). 2. Leningradskiy
zhirovoy kombinat (for Kurdyumov, Usachev, Abkina, Rumyantseva,
Koshelev, Grigor'yev, Lukashevich, Styazhkina, Mikhaylovich,
Yedemskiy, Maslov, Kudryasheva, Prosmushkin). 3. Leningradskoye
otdeleniye tresta "Prodmontazh" (for Shtal'berg and Boytsov).
(Leningrad--oils and fats)
(Extraction apparatus)

GOLUBEVA, M.S.; GABRILENKO, Z.I.

Ternary reciprocal system consisting of potassium and
strontium chlorides and sulfates. Zhur. neorg. khim.

5 no. 12:2812-2818 D '60. (MIRA 13:12)

(Potassium chloride) (Strontium chloride)

(Potassium sulfate) (Strontium sulfate)

BENETATO, Gr., acad.; PARTENI, Lucia; GABRILESCU, Elena; BOROS, I.;
SUCMANSCHI, Maria

Studies on the colloidochemical state of the proteins of the nervous tissue in relation to the histochemical modifications in an experimental allergic encephalomyelitis. Studii cerc fiziol 6 no.2: 207-220 '61.

1. Institutul de fiziologie normala si patologica "Prof. Dr. D. Danielopolu" al Academiei R.P.R. 2. Redactor responsabil, "Studii si cercetari de fiziologie", (for Benetato).

(COLLOIDS) (PROTEINS) (NERVOUS SYSTEM)
(HISTOCHEMISTRY) (ALLERGY)
(ENCEPHALOMYELITIS)

GARILEVSKA, L. N.

GARILEVSKA, L. N.- "Experimental Investigation of the Hygienic Basis for Maximum Permissible Concentration in the Water of a Reservoir." Sub 16 Jun 52, First Moscow Order of Lenin Medical Inst. (Dissertation for the Degree of Candidate in Medical Sciences).

SO: Vechernaya Moskva January-December 1952

GABRILEVSKAYA, L. N.

USSR/Biology - DDT

Apr 53

"Experimental Investigation of the Hygenic Aspects of a Permissible Limit of a Concentration of Dichloro-diphenyl-trichloroethane in the Waters of a Reservoir," L. N. Gabrilevskaya, Chair of Community Hygiene, First Moscow Order of Lenin Med. Inst.

Gig i San, No 4, pp 15-19

Describes series of tests conducted by sanitation and toxicology agencies, to determine the danger of high DDT content waste waters (released by enterprises producing this insecticide) which flow into reservoirs. Tests revealed that should the reservoirs have a maximum content of 2 mg/l of technical rate DDT, and no more than a 0.25 mg/l content of technical rate DDT dissolved in an org solvent, no adverse effects could be expected on the health conditions of the people using the waters of the reservoir for drinking or household purposes.

261 T2

GABRILEVSKAYA, L.N.

Discharge of waste waters from *p*-*tert*-butylphenol plants.
L. N. Gabrilovskaya and M. N. Rubleva. *Vodornaia zashchita*
zemli. 1956, No. 4, 22-3.—The objectionable fea-
tures of the waste waters from *p*-*tert*-butylphenol (I) plants
which make them unfit for household and drinking purposes
are the presence of H_2SO_4 , phenol, and I. A diln. of 1:150
in the absence of H_2SO_4 and 1:2000 in its presence are satis-
factory from a sanitary standpoint. Toxicity as tested on
white rats was absent at 1:75 diln. Dephenolated water
still has a strong aromatic odor which can be reduced suf-
ficiently by a 1:1000 diln. The nondephenolated water
requires a 1:10,000 diln. Since I is cryst., the purification
can be simplified when it is allowed to settle out of the waste
waters. A. S. Mirkha

GABRILEVSKAYA, L.N.; RUBLEVA, M.N.

Conditions for draining sewage from the propanediphenyl industry
into a reservoir. Vod. i san. tekhn. no.10:32-34 O '57. (MIRA 10:11)
(Propane) (Sewage--Purification)

GABRIEVSAYA, L.N.; LASKINA, V.P.

Experimental basis for the permissible concentration of dimethylphosphorodithioic acid in bodies of water. San.okhr.vod.ot zagr.prom.stoch.vod no.5:187-200 '62.

Experimental basis for the permissible concentration of diethylphosphorodithioic acid and its potassium salt in bodies of water. Ibid.:201-218

Experimental basis for the permissible concentration of the potassium salt of diisopropylphosphorodithioic acid. Ibid.:219-232
(MIRA 17:6)

1. Kafedra kommunal'noy gigiyeny I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova.

GABRILEVSKAYA, L.N.; LASKINA, V.P.

Maximum permissible concentration of β -mercaptopodiethylamine in
the water of reservoirs and rivers. San. okhr. vod. ot zagr.
prom. stoch. vod. no.6:165-178 '64.

Maximum permissible concentration of pentachlorophenol and sodium
pentachlorophenolate in the water of reservoirs and rivers. Ibid.:
251-272 (MIRA 18:3)

1. Kafedra kommunal'noy gigiyeny I Moskovskogo ordena Lenina
meditsinskogo instituta imeni I.M.Sechenova.

GABRILIN, I.S.

Proletarskii District of the capital. Gor.khoz.Msk. 35 no.6:27-
28 Je '61. (MIRA 14:7)

1. Predsedatel' ispolkoma Proletarskogo rayonnogo Soveta.
(Moscow—Municipal services)

IVANOV, K.K.; KOVALENKOVA, V.K.; IL'ICHEVA, N.P.; GABRILINA, G.V.; LIROVA, S.A.

Fermentation conditions for organisms producing new antibiotics
in an experimental plant. Antibiotiki 5 no.1:43-47 Ja-F '60.
(MIRA 13:8)

1. Institut po izyskaniyu novykh antibiotikov AMN SSSR.
(ANTIBIOTICS) (FERMENTATION)

GABRILINK, V. M.

Gabrilink, V. M. and Strashkevich, A. M. The potential field of the duants. II.
Page 1241.

Chernovtsy State Uni.
Jan. 26, 1949.

SO: Journal of Technical Physics, Vol. 20, No. 10. October 1950.

GABRILOV, A., inzh.; SOLOV'YEV, G., inzh.

Electric wiring appliances and devices. Na stroi. Ros. no.6:33
Je '61. (MIRA 14:7)
(Electric wiring--Equipment and supplies)

SIUNOV, N.S., doktor tekhn.nauk; GABRILOV, B.K., kand.tekhn.nauk;
KOYILCV, B.V., inzh.

Synchronous motor with a mechanical rectifier shunted by capacitance.
Vest.elektroprom. 32 no.2:45-48 F '61. (MIRA 15:5)
(Electric motors, Synchronous)

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

MIROSHNICHENKO, I.P., kand.tekhn.nauk; GABRILOV, M.N.; KYZ'MIN, I.I.

New type of medium-tonnage, combination dry cargo ship. Trudy
TSNIIMF 7 no.36:29-41 '61. (MIRA 15:3)
(Freighters)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

GABRILOV, N.I.

Modern practices in the medical care and hygiene of industrial workers. Zdrav. Ros. Feder. 4 no. 4:8-10 Ap '60. (MIRA 13:10)

1. Nachal'nik otdela meditsinskoy pomoshchi gorodskomu naseleniyu i rabochim promyshlennyykh predpriyatiy Ministerstva zdravookhraneniya RSFSR.

(INDUSTRIAL HYGIENE)

~~REF ID: A1/EWT(m)/T~~
ACC NR: AR6017211

(c) AT

SOURCE CODE: UR/0058/65/000/012/A054/A054

AUTHOR: Mal'tsev, I. S.; Gabrilovskiy, B. V.; Polekhov, V. V.

51

B

TITLE: Use of a silicon diffused p-n junction as a nuclear particle detector

19

SOURCE: Ref. zh. Fizika, Abs. 12A477

REF SOURCE: Tr. 6-y Nauchno-tehn. konferentsii po yadern. radioelektron. T. 1. M.,
Atomizdat, 1964, 7-11TOPIC TAGS: particle detector, pn junction, silicon semiconductor, physical diffusion,
volt ampere characteristic, Alpha detectorABSTRACT: A procedure is described for preparing a semiconductor detector for nuclear
particles of single-crystal p-type silicon with specific resistivity 2000 ohm-cm.
The p-n junction was made by diffusion of phosphorus from the gas phase for 40 minutes
at a temperature +1150°C into a depth of 2 - 3 μ. The operating area of the detector
is ~30 mm². The volt-ampere characteristics of the detector are presented. Alpha
particles are registered with the detector starting with zero reverse bias. The am-
plitude of the pulses reaches saturation at a reverse bias of ~10 v. The energy re-
solution of the detector is 4 - 5%. Improvement in the technology makes commercial
production of diffusion detectors possible. L. Leshchuk. [Translation of abstract]

SUB CODE: /8,20

Card 14151

C.GARILOVICH A.B.

PROCESSES AND PROPERTIES INDEX

CA

116

Plenodilatometric method and some of its applications.
A. B. Garilovich. Kolloid. Zhur. 11, 17-23(1949).—
Since compressibility β of gases is much greater than that of liquids, the presence of even 0.01% of gas can be detected by a measurable increase in β . For the expts. a dilatometer was used, capacity ≈ 2 ml., with a capillary, cross-sectional area $= 0.2$ sq. mm. When the capillary and the space around the dilatometer were connected to an air reservoir at 0.01 mm. Hg. the expansion (detd. to 0.012 cu. mm.) was sufficient to calc. β . The dilatometer was immersed in a Dewar flask filled with H_2O ; this flask was kept in a H_2O thermostat. If the temp. in the outer thermostat was const. within $\pm 0.01^\circ$, the temp. in the Dewar flask was const. within $\pm 0.0001^\circ$. The PhMe thermometer used was read to $\pm 0.0001^\circ$. Tarusov (Thesis 1939) observed contraction on immersing frog muscles, etc., in physiol. salt soln. and its variation in the presence of toxins. Detn. of β proves that this contraction is due to gradual dissolvn. of gas originally present in the animal tissue and is not a measure of the binding of H_2O by the tissues. Fresh tissue may contain as much as 4 cu. mm. of gas per 0.4 g. J. J. B.

*Central Dermato-venereological Inst., Moscow
1947*

AIA-SLA METALLURGICAL LITERATURE CLASSIFICATION

GABRILOVICH, A.B.

GUBAY, Ye.M.; GABRILOVICH, A.B.; SHUL'BAUM, F.I.

Bound lipids of Corynebacterium diphtheriae. Biokhimiia, Moskva 17
no. 3:303-306 May-June 1952. (CLML 25:1)

1. Biochemical Laboratory of the Institute of Epidemiology and
Microbiology, Rostov-on-the-Don.

GABRILOVICH, A.B.; VILKOVA, V.P.; KOCHAR'YAN, D.N.

Effect of aeration upon the propagation of dysentery bacteriophage.
Zhur.mikrobiol.epid.i immun. no.4:80 Ap '54. (MIRA 7:5)

1. Iz Rostovskogo-na-Donu instituta epidemiologii i mikrobiologii.
(Dysentery) (Bacteriophagy)

VILKOVA, V.F.; GABRILOVICH, A.B.

Certain properties of a dysentery bacteriophage produced under conditions of aeration. Zbir.mikrobiol.epid.i immun. no.4:80-81 Ap '54. (MLRA 7:5)

1. Iz Rostovskogo-na-Donu instituta epidemiologii i mikrobiologii.
(Dysentery) (Bacteriophagy)

GABRILOVICH, A. B., GUBAREV, E. M., SOKOLOVA, L. P., (USSR)

"Some Proteins from Diphtheria Bacteria (*Corynebacteria diphteriae*) and their Properties."

Report presented at the 5th Int'l. Biochemistry Congress, Moscow,
10-16 Aug 1961.

TSYPIN, M.; KOSOV, A.; KOIBASOV, Ya.; GABRILOVICH, I.; GERTSOVSKIY, Ye.

Issuing credit on payment documents in transit certified by economic organs. Den. i kred. 16 no. 5:41-45 My '58. (MIRA 11:6)

1. Glavnnyy bukhgalter Samarkandskoy oblastnoy kontory (for TSypin).
2. Glavnnyy bukhgalter Zhitnyanskogo spirto-sovchozkombinata Bryanskoy oblasti (for Kosov).
3. Starshiy kreditnyy inspektor Azerbaydzhanskoy respublikanskoy kontory Gosbanka (for Kolbasov).
4. Glavnnyy bukhgalter Belorusskoy respublikanskoy kontory Gosbanka (for Gabrilovich).
5. Glavnnyy bukhgalter gorupravleniya Belorusskoy respublikanskoy kontory Gosbanka (for Gertsovskiy).
(Samarkand Province—Credit)

GABRILOVICH, I.

Practice in improving accounting operations and statistical work.
Den.i kred. 20 no.5:64-68 My '62. (MIRA 15:5)

1. Glavnnyy bukhgalter Belorusskoy respublikanskoy kontory Gosbanka
(White Russia--Banks and banking--Accounting)
(Machine accounting)

L 5237-66 EWT(1)/EWA(j)/EWA(b)-2 JK

ACC NR: AP5025974

SOURCE CODE: UR/0250/65/009/008/0550/0551

AUTHOR: Kukulyanskiy, A.A.; Gabrilovich, I.M.

33

QB

ORG: Minsk State Medical Institute (Minskiy gosudarstvennyy meditsinskiy institut);
Belorussian State University im. V.I. Lenina (Belorusskiy gosudarstvennyy universitet)TITLE: Dependence of the nucleotide composition of bacterial DNA on the lysogenic state
of bacteria

SOURCE: AN BSSR. Doklady, v. 9, no. 8, 1965, 550-551

TOPIC TAGS: DNA, bacteria, virus, bacteriophage, bacterial genetics

ABSTRACT: The study was undertaken in order to determine the dependence of the strain differences in the DNA composition of Klebsiella scleromatis on the lysogenic state and the type of bacterial virus. To this end, lysogenic cultures were obtained by lysogenesis by phages of various types of the phagosensitive strain Klebsiella scleromatis 380, whose lysogenesis could not be established previously. In the six artificially lysogenic strains thus obtained, the DNA composition was determined and compared with the composition of the original culture No. 380. It was found that (1) DNA of 380/483 strain differs substantially from the DNA of the original culture in total content of adenine and thymine, and (2) DNA of the 380/C strain is characterized by a considerable thymine deficit. The paper was presented by Academician V.A. Leonov of the AN BSSR. Orig. art. has: 1 table.

Card 1/2

L 5237-66

ACC NR: AP5025974

8

SUB CODE: LS, CB / SUBM DATE: 20Oct64 / ORIG REF: 003 / OTH REF: 000

PC

Card 2/2

GABRILOVICH, I.M.

Nutritional toxicoinfection caused by S. Breslau, Zdrav. Belor.
6 no. 5:50-52 My '60. (MIRA 13:10)

1. Grodnenskaya oblastnaya sanitarno-epidemiologicheskaya stantsiya
(glavnnyy vrach V.A. Aleksandrovich).
(FOOD POISONING) (SALMONELLA)

MELAMED, Kh.I.; GABRILOVICH, I.M.

Importance of antistreptokinase in rheumatism. Zdrav.Bel. 8
no.12:19-22 D '62. (MIRA 16:1)

1. Iz fakul'tetskoy terapevticheskoy kliniki Minskogo meditsinskogo instituta (zav. kafedroy - akademik AN BSSR B.I.Trusevich [deceased]) i 4-y klinicheskoy bol'nitsy g. Minska (glavnnyy vrach Ye.M.Sel'dimirova).

(RHEUMATIC FEVER) (ANTISTREPTOKINASE)

GABRILOVICH, I.M.

Serological types of diphtheria bacteria isolated in White
Russia during the years 1958-1961. Zdrav. Bel. 9 no.2:42-44
F'63. (MIRA 16:7)

1. Iz 4-y klinicheskoy bol'nitsy g. Minska (glavnnyy vrach-
Ye.M.Sel'dimirova).
(CORYNEBACTERIUM DIPHTHERIAE)

GABRILOVICH, I.M.

Klebsiella bacteriophages. Report No.1: Lysogenic properties of the
pathogen of scleroma. Zhur. mikrobiol., epid. i immun. 41 no.3:106-
109 Mr '64. (MIRA 17:11)

1. 4-ya Minskaya klinicheskaya bol'ница.

GABRILOVICH, I.M.

Study of the lysogenicity of *Corynebacterium diphtheriae*. Zhur. mikrobiol.; epid. i immun. 41 no.6:80-84 Je '64.

(MIRA 18:1)

1. Minskaya 4-ya klinicheskaya bol'nitsa.

GABRILOV CH, I.M.

Klebsiella bacteriophili s. Report No.2: Some biocidal properties
of the Frisch-Volkovicius coccus. Chir. mikrobiol., sp. i tsvet.
41 no.12:65-71 D '64. (USSR 19:3)

1. Beloruskiy gosudarstvennyy universitet imeni Lenina.

L 57751-65
ACCESSION NR: AP5010364

UR/0205/65/005/002/0314/0315

10
B

AUTHOR: Gabrilovich, I. M.; Seleznev, A. F.

TITLE: Protective effect of S-beta-aminoethylisothiuron bromide on the T2 phage

SOURCE: Radiobiologiya, v. 5, no. 2, 1965, 314-315

TOPIC TAGS: phage, aminoethylisothiuron, radioprotector, gamma radiation, radiation dose

ABSTRACT: T2 phages (10^5 - 10^6 particles) were gamma-irradiated (Co-60 unit) with different doses (10^4 - 5×10^5 r) in Huttlinger's broth (pH 7.5, with 210-220 mg% of amine nitrogen) containing a 0.1% aqueous solution of S-beta-aminoethylisothiuron bromide (AET). The radioprotective effect of AET determined by phage survival was found to grow with increased radiation doses and at the same time the absolute percentage for phage survival sharply dropped. For a 5×10^4 - 10^5 r dose when the absolute survival rate is still considerable, the relative protective effect does not exceed 2 which according to literature data roughly coincides with the amount of excitation energy diverted from the DNA type structures to the AET. The author concludes that within the investigated gamma radiation dose range, AET displays a marked radioprotective effect on T2 phages.

Card 1/2

L 57751-65

ACCESSION NR: AP5010364

Orig. art. has: 1 table.

ASSOCIATION: Beloruskiy gosudarstvenny universitet im. V. I. Lenina, Minsk
(Belorussian State University)

SUBMITTED: 22 Jul 63

ENCL: 00

SUB CODE: LS

HR REF Sov: 001

OTHER: 000

Card 2/2

KUKULYANSKIY, A. A. SARKISOVICH, I. M.

Relation of the nucleotide composition of bacterial DNA to the
lysogenic state of the bacteria. Dokl. AN BSSR 9 no. 8:550-551
Ag '65. (MIRA 18:10)

1. Minskij gosudarstvennyj meditsinskiy institut i Belorussiy
gosudarstvennyj universitet imeni V. I. Lenina.

GABRILOVICH, I.M.; KUKULYANSKIY, A.A.

Chemical specificity of the deoxyribonucleic acid from bacteria
of the *Klebsiella* genus. Zhur.mikrobiol., epid. i immun. 42
no.10:138 O '65. (MIRA 18:11)

I, Minskij meditsinskiy institut i Beloruskiy gosudarstvennyy
universitet imeni V.I.Lenina. Submitted September 28, 1964.

GABRILOVICH, I.M.; SELEZNEV, A.F.

Protective effect of S- β -aminoethylisothiuronium bromide on
the phage T2. Radiobiologija 5 no.2:314-315 '65.

(MIRA 18:12)

I. Belorusskiy gosudarstvennyy universitet imeni Lenina, Minsk.

GABRILOVICH, M. A. Docent

USSR/ Medicine - Public Health
Medicine - Hygiene and Sanitation

May 49

"Sanitary Characteristics of New Homes in Villages of Belorussian SSR,"
Prof Z. K. Mogilevchik, Docent M. A. Gabrilovich, Chair of Hygiene, Minsk
Med Inst, 3½ pp

"Gig i San" No 5

New home in Belorussian SSR are larger and have more space per capita,
but shortcomings are not enough window space and insufficient natural
light, etc. This is due to the failure of public health organizations to
participate in the design and construction. Suggests that this be corrected.

PA 56/49T77

GABRILOVICH, M. A.

6935 Gabrilovich, M. A. Gigiyena zhilishcha kolkhoznika. Minsk, Gosizdat BSSR, Red. Nauch-Tekhn. Lit., 1954. 24s, s ill. 20 sm. (M-vo Zdravookhraneniya BSSR). 10.000 ekz. Bespl.- (55-2926)P 613.5(-22)

SO: Knizhnaya Letopis' No. 6, 1955

GAERILOVICH, M.A.; MUSATOVA, O.A.

Preventive hygienic supervision in planning of motor tractor stations
in the white Russian S.S.R. Gig. i san. no.12:19-23 D '54. (MLRA 8:2)

1. Is gosudarstvennoy sanitarnoy inspeksi Ministerstva zdravookhrama
neniya BSSR i kafedry gigiyeny Minskogo meditsinskogo instituta.
(INDUSTRIAL HYGIENE
in Russia, supervision of motor tractor stations)

GABRILOVICH M. A.

EXCERPTA MEDICA Sec 17 Vol 5/3 Publ c Health Mar 59

1063. HYGIENIC FEATURES OF THE NEW BUILDINGS AND DEVELOPMENT
OF THE 'RASSVET' COLLECTIVE FARM (Russian ext) - Gabrilovich
M. A. - ZDRAVOOKHR. BELOR. 1956, 11 (53-'5)

A description is given of the planning, building and development of the Myshkovich estate, the centre of a 'Rassvet' collective farm, having a multifarious and highly mechanized economy and large number of industrial and cultural buildings and dwelling houses. The compact planning of the village is noteworthy. The broad streets of the estate run north and south. Housing plots are large; the front gardens extend for 5 to 10 m. The collective farms are provided with fruit orchards, lavatories and baths. The majority of the houses are built to a standard plan and have 2-3 rooms, of sufficient area and spaciousness. The water supply is provided by concrete wells - one well for 10 houses - equipped with covers and buckets. The swamps around the village have been drained and trees have been planted on the sands. There is insufficient separation of the dwelling houses from the cattle-rearing farms. The next tasks facing the community are the building of public baths, nurseries and water mains and surfacing of the roads and planting of trees along them.

(S)

GABRILOVICH, M. A.: Doc Med Sci (diss) -- "Eygienic problems in the planning residential construction, and public welfare of kolkhoz settlements in the Belorussian SSR in the process of their socialist reconstruction". Minsk, 1957.
12 pp (Minsk State Med Inst), 200 copies (KL, No 5, 1959, 15k)

GABRILOVICH, M.A.

Activities of the sanitation and epidemic control organization in
the White Russian S.S.R. during the sixth five-year plan. Sov.zdrav.
16 no.9:3-7 S '57. (MIRA 10:12)

1. Machal'nik Sanitarno-epidemiologicheskogo upravleniya Minister-
stva zdravookhraneniya Belorusskoy SSR.
(PUBLIC HEALTH
in Russia, progr.)

MR. R. G., L. I., WILLIAMS, A. A.

"The hygienic problems and state of cleaning and organization of
kolkhoz villages and rational centers in the Belorussian SSR."

Report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists
and Infectiologists, 1959.

AYVIL'YEVICH, N. V., YAGLEVICH, A. A.

"Hygienic evaluation of the new polyclinic residential construction in
the Ukrainian SSR."

Report submitted at the 13th All-Ukrainian Congress of Hygienists, Epidemiologists
and Infectiousists, 1959.

"APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9

GABRILOVICH, M.A.; MUSATOVA, O.A.

Public health facilities in cities and villages of the White Russian
Soviet Socialist Republic. Zdrav. Belor. 5 no.3:21-23 Mr '59.
(WHITE RUSSIA--PUBLIC HEALTH) (MIRA 12:7)

APPROVED FOR RELEASE: 03/13/2001

CIA-RDP86-00513R000513930001-9"

GABRILOVICH, M.

"Reference manual on sanitary legislation in the field of industrial, food, communal, and school hygiene" by M.IA. Suponitskii, B. L Gordin, I.S. Kartelev. Reviewed by M. Gabrilovich. Zdrav. Belor. 6 no. 7:75-77 Je '60.
(MIRA 13:8)

(PUBLIC HEALTH LAWS) (SUPONITSKII, M.IA.)
(GORGIN, B.L.) (KARTELEV, I.S.)

MOGILEVCHIK, Z.K., professor; GABRILOVICH, M.A., dotsent

Problems in regional planning of sanitary and hygienic importance.
(MIRA 15:5)
Zdrav.Bel. no.3:43-47 '62.

1. Iz kafedry gigiyeny Minskogo meditsinskogo instituta i kafedry
gigiyeny Instituta usovershenstvovaniya vrachey.
(REGIONAL PLANNING) (PUBLIC HEALTH, RURAL)

GARRILOVICH, M.A.

Sanitary requirements for locating collective stockbreeding farms in the White Russian S.S.R. Zdrav.Bel. 8 no.2:45-48 F '62. (MIRA 15:11)

1. Iz kafedry gigiyeny Belorusskogo instituta usovershenstvovaniya vrachey.
(WHITE RUSSIA--COLLECTIVE FARMS--SANITATION)

GABRILOVICH, M.

"Medical plants and ways of using them among the people" by
M.A. Nosal', I.M. Nosal'. Reviewed by M. Gabrilovich. Zdrav.
Belor. 6 no. 7:75 Je '60. (MIRA 13:8)
(BOTANY, MEDICAL) (NOSAL', M.A.) (NOSAL', I.M.)

GAERII 'YAN, A. N.

35871

petrografomineralogicheskaya kharakteristika otlozheniy
rishtanskogo i sumsarskogo yarusov ferganskoy doliny. trudy
in-ta geologii (akad. nauk uzbek. SSR), VYP. 2, 1948, c. 173-204

SO: Letopis' Zhurnal'nykh Statey, Vol. 39, Moskva, 1949

GABRILYAN, A. M.

Apr 1948

USSR/Petroleum Insustry
Geological Prospecting

"Prospects of the Oil Capacity of the Fergana Valley in the Light of
Results of Prospecting Work in 1940-1946," S. I. Ilin (deceased),
A. M. Gabrilyan, 7 pp

Neft Khoz, No 4

New data that was used to draw up a new geologic profile map of the above
region. Some of the planned operations for the future are based on
surveys and experience accumulated during subject years.

PA 64T83

GABRIL'YAN, A.M., d-r geol.-mineral.nauk; VASIL' KOVSKIY, N.P., d-r
geol.-mineral.nauk, otvetstvennyy red.; NOVIKOVA, Ye.I., red.izd-va;
GOR'KOVAYA, Z.P., tekhn.red.

[Lithology, paleogeography and problems of the oil-bearing
potential of the Upper Cretaceous and Paleocene of the Fergana
Depression] Litologiya, paleogeografiya i voprosy neftenosnosti
verkhnego mela i paleogena Ferganskoi depressii. Tashkent,
Izd-vo Akad.nauk Uzbekskoi SSR, 1957. 396 p. (MIRA 11:1)
(Fergana Depression--Petroleum geology)

Литология

GABRIL'YAN, A.M., prof.

Discussion on the formation of oil and gas fields. Izv. AN Uz. SSR.
Ser. geol. no.3:89-91 '57. (MIRA 11:9)
(Gas, Natural--Geology) (Petroleum geology)

GABRIL'YAH, A.M.

Some data on total isotope composition of Fergana oil field waters.
Inv. AN Uz. SSR. Ser. geol. no.4:47-55 '57. (MIRA 11:9)
(Fergana--Oil field brines--Analysis) (Isotopes)

BABAYEV, A.G.; GABRIL'YAN, A.M., prof., doktor geologo-mineral.nauk,
ctv.red.; TUMASHEVSKAYA, E.S., red.izd-va; GOR'KOVAYA, Z.P..
tekhn.red.

[Lithology, paleontology, and oil and gas potentials of
Cretaceous sediments in western Uzbekistan] Litologija,
paleogeografiia i neftegazonosnost' melovykh otlozhenii
Zapadnogo Uzbekistana. Tashkent, Izd-vo Akad.nauk Uz-
bekskoi SSR, 1959. 340 p. (MIRA 13:2)

(Uzbekistan--Petroleum geology)
(Uzbekistan--Gas, Natural--Geology)

GABRIL'YAN, A.M.; BABAYEV, A.G.

Evaluating oil and gas potentials of Uzbekistan. Geol. nefti i
gaza 3 no.9:13-19 S '59. (MIRA 13:1)

1. Institut geologii i razrabotki goryuchikh iskopayemykh AN SSSR
i Institut geologii AN UzbSSR.
(Uzbekistan--Petroleum geology)
(Uzbekistan--Gas, Natural--Geology)

GABRIL'YAN, A.M.; BABAYEV, A.G.

Principal geological indications of the presence of petroleum
and gas deposits in Uzbekistan. Izv. AN SSSR. Ser. geol. 25
no.9:52-60 S '60. (MIRA 13:9)

1. Institut geologii i razrabotki goryuchikh iskopayemykh
AN SSSR, Moskva.

(Uzbekistan—Petroleum geology)
(Uzbekistan—Gas, Natural—Geology)

GABRIL'YAN, A.M.

Distribution of oil and gas pools in Mesozoic and Tertiary
sediments in the eastern part of Central Asia. Geol.nefti i
gaza 6 no.5:24-30 My '62. (MIRA 15:5)

1. Institut geologii i razrabotki goryuchikh iskopayemykh AN SSSR.
(Soviet Central Asia--Petroleum geology)
(Soviet Central Asia--Gas, Natural--Geology)

GABRIL'YAN, A.; KROTOVICH, A.

Results of the symposium held in Nukus. Geol. nefti i gaza 8 no. 5:
(MIRA 17:9)
52-55 May '64.

TROFIMUK, A.A., otv. red.; MAKSYMOW, S.P., zam. otv. red.;
GAERIL'YAN, A.M., red.; SHAKOV, S.N., red.; CHARIGIN,
M.M., red.

[Petroleum geology] Geologija nefti. Moskva, Nauka,
1964. 399 p. (Iz: Doklady sovetskikh geologov. Problema 1)
(MIRA 10:2)

1. Natsional'nyy komitet geologov Sovetskogo Soyuza.

2037 Gabrilyan, A. S.

Anatomo-khirurgicheskiye obosnovaniya operativnykh dostupov k zadney cherepnoy
jamke. L., 1954. 10 s 22 sm. (M-vo zdravoo'zraneniya RSFSR. Leningra. san.-sigen.
Med. in-t i Leningr. naun.-issled. nevrokhirurgich. in-t im. prof. A. L.
Polenova). 100 ekz. B. Ts. - (54-56637)

GABRILYANTS, A.G. (Moskva); FEODOS'YEV, V.I. (Moskva)

Axisymmetric forms of equilibrium of an elastic spherical shell
under the action of evenly distributed pressure. Prikl. mat. i
mekh. 25 no.6:1091-1101 N-D '61. (MIR 14:12)
(Elastic plates and shells) (Deformations (Mechanics))

AKRAMKHODZHAYEV, A.M.; AKHMEDZHANOV, M.A.; BABAYEV, A.G.; BABAYEV, K.L.;
BATALOV, A.B.; BASHAYEV, N.P.; BAYMUKHAMEDOV, Kh.N.; BRAGIN,
K.A.; BORISOV, O.M.; GABRIL'YAN, A.Sh.; GAR'KOVETS, V.G.;
GOR'KOVOY, O.P.; GRIGORYANTS, S.V.; IBADULLAYEV, S.I.; ISMAILOV,
M.I.; ISAMUKHAMEDOV, I.M.; KAKHKHAROV, A.; KENESARIN, N.A.;
KRYLOV, M.M.; KUCHUKOVA, M.S.; LORDKIPANIDZE, L.N.; MAVLYANOV,
G.A.; MOTSOKINA, T.N.; MALAKHOV, A.A.; MIRBABAYEV, M.Yu.;
MIRKHODZHIYEV, I.M.; MUSIN, R.A.; NABIYEV, K.A.; PETROV, N.P.;
POPOV, V.I.; PLATONOVA, N.A.; RYZHKOV, O.A.; SAYDALIYEVA, M.S.;
SERGUN'KOVA, O.I.; SLYADNEV, A.F.; TULYAGANOV, Kh.T.; UKLONSKIY,
A.S.; KHAMRABAYEV, I.Kh.; KHODZHIBAYEV, N.N.; CHUMAKOV, I.D.;
SHAVLO, S.G.

Khabib Mukhamedovich Abdullaev; obituary. Uzb.geol.zhur. 6
no.4:7-9 '62. (MIRA 15:9)
(Abdullaev, Khabib Mukhamedovich, 1912-1962)

GLUZMAN, M.Kh., kand. khim. nauk; BASHURA, G.S.; GABRIIL'YAN, D.A.

Using a pendulum type consistometer for testing tooth paste
with a water-soluble base. Masl.-zhir. prom. 29 no.3:28-31
(MIRA 16:4)
Mr '63.

1. Khar'kovskiy nauchno-issledovatel'skiy khimiko-farmatsev-
ticheskiy institut.
(Toilet preparations—Testing)